INDEX TO VOLUME XV.

[NOTE.—In this index the titles of principal papers and the headings of departments, as *Discussion*, are in italics.]

Accumulation of petroleum, 81
Adams, F. D., experimentation on pyrite, 596; on behavior of quartz under pressure, 647
Adams, S. F., *A microscopic study of vein quartz*, 623–664
Aeroplano formation, 193
Alaskite porphyry, 569
Allen, E. T., an antlerite, 47
Alpha-quartz, 626
Alteration, feldspar to kaolin, 238; Kennecott, Alaska, 34; wall rock, Bolivian tin veins, 489; Eustis ore body, 601; Flinflon ore body, 588; Mandy ore deposits, 582; Northpines pyrite deposit, 594; of rocks, Mandy deposit, northern Manitoba, 395
Amisk series, 587
Amisk volcanics, 576
Analyses (*see* Chemical analyses)
Analyses, mechanical, of greensand, 548
Analysis of well cuttings, 171
Ancient shore lines and oil accumulation, 81; and oil pools, 350
Andros, S. O., review of book by, 455
Aneroid barometer, 151
Anhedral replacement quartz, 642
Animikie group, 435
Ankerite bordering gold-bearing quartz, 312
Annabergite, 111
Anomalous habit in replacement quartz, 646
Anomalous quartz, 628
Anthracite, France, 282
Anticlinal theory of petroleum accumulation, 81; modifications, 247
Antlerite, 46
Antofagasta area, Chile, 190
Apex law, 259, 674
Appalachian region, oil accumulations, 83
Apparatus for experimental studies on oil-field problems, 399
Arbuckle area, Oklahoma, isovolves, 233
Archean greenstone, 438
Argyrodite, 494
Arid cycle, Chilean physiographic history, 197
Armas, M., on the genesis of Bolivian tin deposits, 465
Arsenates of copper, 48
Arsenic, 489
Arsenides, deposition at Cobalt, Ont., 124
Arsenopyrite, 581
Atmospheric pressure, diurnal variations, 156; curves, 157
Azure fault, 50
Azurite, 45

Bailey, R. K., analyses by, 553
Ball, M. W., on oil placer law, 257
Bancroft, J. A., on origin of Eustis pyrite deposit, 602; on the geology of the Eustis mine, 599
Banded pyrite ore, structure, 595
Banded structures in ores, 606
Banding in Cobalt, Ont., ores, 123
Barbour, E. H., on breathing wells, 507
Barograph, 160
Barometer, aneroid, testing, 152
Barometric method of geologic surveying for petroleum mapping (Lahee), 150
Barometric readings, checking, 158
Bartlett, Willard, on expert evidence, 339
Barton, D. C., *The Palangana salt dome, Duval County, Texas*, 497–510
Bassin de Pont-à-Mousson coal basin, 282
Bassin du Campine, 289
Bassin du Nord, 282, 283
Bassin du Pas-de-Calais, 282, 283
Bastin, E. S., on deposition of silver at Cobalt, Ont., 126

INDEX TO VOLUME XV.

[NOTE.—In this index the titles of principal papers and the headings of departments, as *Discussion*, are in italics.]

Accumulation of petroleum, 81
Adams, F. D., experimentation on pyrite, 596; on behavior of quartz under pressure, 647
Adams, S. F., *A microscopic study of vein quartz*, 623–664
Aeroplano formation, 193
Alaskite porphyry, 569
Allen, E. T., an antlerite, 47
Alpha-quartz, 626
Alteration, feldspar to kaolin, 238; Kennecott, Alaska, 34; wall rock, Bolivian tin veins, 489; Eustis ore body, 601; Flinflon ore body, 588; Mandy ore deposits, 582; Northpines pyrite deposit, 594; of rocks, Mandy deposit, northern Manitoba, 395
Amisk series, 587
Amisk volcanics, 576
Analyses (*see* Chemical analyses)
Analyses, mechanical, of greensand, 548
Analysis of well cuttings, 171
Ancient shore lines and oil accumulation, 81; and oil pools, 350
Andros, S. O., review of book by, 455
Aneroid barometer, 151
Anhedral replacement quartz, 642
Animikie group, 435
Ankerite bordering gold-bearing quartz, 312
Annabergite, 111
Anomalous habit in replacement quartz, 646
Anomalous quartz, 628
Anthracite, France, 282
Anticlinal theory of petroleum accumulation, 81; modifications, 247
Antlerite, 46
Antofagasta area, Chile, 190
Apex law, 259, 674
Appalachian region, oil accumulations, 83
Apparatus for experimental studies on oil-field problems, 399
Arbuckle area, Oklahoma, isovolves, 233
Archean greenstone, 438
Argyrodite, 494
Arid cycle, Chilean physiographic history, 197
Armas, M., on the genesis of Bolivian tin deposits, 465
Arsenates of copper, 48
Arsenic, 489
Arsenides, deposition at Cobalt, Ont., 124
Arsenopyrite, 581
Atmospheric pressure, diurnal variations, 156; curves, 157
Azure fault, 50
Azurite, 45

Bailey, R. K., analyses by, 553
Ball, M. W., on oil placer law, 257
Bancroft, J. A., on origin of Eustis pyrite deposit, 602; on the geology of the Eustis mine, 599
Banded pyrite ore, structure, 595
Banded structures in ores, 606
Banding in Cobalt, Ont., ores, 123
Barbour, E. H., on breathing wells, 507
Barograph, 160
Barometer, aneroid, testing, 152
Barometric method of geologic surveying for petroleum mapping (Lahee), 150
Barometric readings, checking, 158
Bartlett, Willard, on expert evidence, 339
Barton, D. C., *The Palangana salt dome, Duval County, Texas*, 497–510
Bassin de Pont-à-Mousson coal basin, 282
Bassin du Campine, 289
Bassin du Nord, 282, 283
Bassin du Pas-de-Calais, 282, 283
Bastin, E. S., on deposition of silver at Cobalt, Ont., 126

Bateman, A. M., and McLaughlin, D. H., *Geology of the ore deposits of Kennecott, Alaska*, 1–80
Bateman, A. M., on replacement in Bendigo quartz veins, 312
Bayley, W. S., *Kaolin in North Carolina, with a brief note on hydromica*, 236–246
Beal, Carl H., *The classification of undeveloped oil land for purposes of valuation*, 315–327
Becker, G. F., on strain, flow and rupture of rocks, 110
Belgium, coal industry, 288; coal reserves, 294
Berg, Georg, on microscopic examination of ores, 624
Beryl, 242
Beta-quartz, 626
Bibliography, coal industry of western Europe, 310; nitrate deposits, 223
Bindheimite as an ore mineral, 88
Birch, Stephen, acknowledgment to, 4
Bismuth, 479
Bituminous coal basins of northern France, Saar, Westphalia, and Belgium, 278
Biwabik formation, 426, 435
Bolivian tin-silver deposits, 463
Bonanza Mine, Kennecott, Alaska, 2, 5, 25, 33
Bornite, 38; nodular, 40
Bosworth, T. O., review of book by, 612
Boulders, cobalt conglomerate, 539
Branner, J. C., review of book by, 355
Brazil, geology, 355
Breathing well, 507
Broderick, T. M., *Economic geology and stratigraphy of the Gunflint iron district, Minnesota*, 422–452
Brooks, A. H., and La Croix, M. F., Reports on the iron, steel, and associated industries of Lorraine, the Saar district, Luxembourg, and Belgium, 277
Brown, J. C., on wolfram as a primary mineral, 514
Bruce, E. L., *Chalcopyrite deposits in northern Manitoba*, 386–397; on formations in northern Manitoba, 576
Brüggen-Erkelenz coal basin, 304
Burma, physiographic features, 511; tungsten deposits, 511
Butler, B. S., and others, review of book by, 683

Calculation of the thickness of folded beds, 373
Caliche, 203
Cameron, F. K., and Bell, J. M., on the alteration of orthoclase, 239
Campbell, J. M., *Tungsten deposits of Burma and their origin*, 511–534
Campbell, M. R., on the barometric method of surveying, 150
Campbell, W., and Knight, C. W., on deposition of silver at Cobalt, Ont., 126
Campine coal basin, Belgium, 290
Capps, S. R., on glaciation in Alaska, 17
Carbon-ratio, 225; applied to oil, 94
Carbon ratios in Carboniferous coals of Oklahoma, and their relation to petroleum (Fuller), 225
Carbon-ratios, relation to structure, 228
Carbonates, deposition at Cobalt, Ont., 124
Carmen limestone, 193
Cassiterite, 473
Catalysis, 144
Cayeux, L., on analyses of glauconite, 555; on the origin of glauconite, 563
Celadonite, 564
Cerussite, 90
Chalcanthite, 46
Chalcedony, 625
Chalcocite, 35; analyses, 37; isometric patterns, 62; Kennecott, Alaska, 2, 18; primary or secondary origin, 66
Chalcopyrite, 39, 42, 581
Chalcopyrite deposits in northern Manitoba (Bruce), 386
Chamberlin, R. T., on Chilean borate deposits, 220
Chamberlin, T. C., on the origin of factures, 56
Chañaral formation, 195
Chatsworth, Ga., talc deposits, 667
Checking barometric readings, 158
Chemical analyses—bindheimite, 90; Lovelock, Nev., 92; San Bernardino Co., Cal., 93; Wamsley mine, Nev., 92; caliche, 205; chalcocite, Bonanza and Jumbo mines, 37; chuca, 202; costra, 203; feldspar from North Carolina, 237; glau-

conite, 555, 557; granite, 389; granite gneiss, 389; greensand, 553; hydromica, 244; ironstone, England, 334; Jurassic ironstone, 332; kaolins, North Carolina, 238; ore, Wamsley mine, Nev., 91; talc for gas burners, 671; water from New Jersey greensand, 559
Chemical analysis of well cuttings, method, 173
Chilean nitrate deposits (Whitehead), 187
Chitistone limestone, 8
Chuca, 202
Clapp, F. G., on classification of oil pools, 81; on oil field structures, 248
Clarke, F. W., on celadonite, 564; on formation of enargite, 61
Classification, of French coal, 284; Belgian coal, 290; Saar coal, 297; Westphalian coal, 304; of mineral deposits, 269; of tin ores, Bolivia, 477; of veins of Cobalt, Ont., 117
Classification of undeveloped oil land for purposes of valuation (Beal), 315
Cleveland ironstone, 333, 335
Cliff Lake granite porphyry, 577
Climate, effect on ores in Alaska, 50
Coal basins of Belgium, 289; of northern France, Saar, Westphalia, and Belgium, 278
Coal industry of northeastern France, Belgium, the Saar district and Westphalia for the pre-war decade, 1904–1913 (Crooks), 277
Coal industry of Westphalia, 303, 307
Coal reserves of Europe, 279, 280
Cobalt, Ontario, The veins of (Whitehead), 103
Cobalt conglomerate, glacial origin, 539
Cobalt district ores, derivation of, 137
Cobalt series, stream origin, 105
Cobalt tillite, 541
Cobalt veins, forms, 121
Cobalt Lake fault, 109
"Cockade" structure of quartz, 636
Coke, Saar and Westphalian, 299
Coleman, A. P., discussion by, 539
Collet, W., on glauconite, 556, 563
Collins, W. H., on Northpines pyrite deposit, 597
Colloform chalcedony, 625
Columbite, 516
Comb quartz, 637
Commercial use of French coal, 287; of Belgian coal, 294; of Saar coal, 301; of Westphalian coal, 309
Commercially non-productive oil land, 325
Composition of Jurassic iron ores, 332
Concentric and banded structures in Kennecott, Alaska, ores, 43
Copper deposits, Kennecott, Alaska, 2, 18; northern Manitoba, 386; Schist Lake region, Manitoba, 579
Copper deposits of Ray and Miami, Arizona (Ransome), review of, 181
Copper in greenstone, Kennecott region, Alaska, 19; source, 59
Copper nuggets, 20
Copper River greenstones, distribution of copper in, 60
Corallian ironstones, 331
Correction curve for barometric readings, 162
Costra, 203
Covellite, 37, 45
Creighton nickel deposit, 535
Cretaceous rocks, Chile, 194
Crooks, H. F., *Notes on the coal industry of northern France, Belgium, the Saar, and Westphalia, 1904–1913*, 277–311
Cross sections, Bonanza and Jumbo mines, Kennecott, Alaska, 11, 23
Crustification banding of quartz, 636
Cryptocrystalline quartz, 627
Crystal cavities, 630
Crystallization force, 313
Cuprite, 48
Cushing oil field, 85
Cylindrite, 485

Darapskite, 204
Davy, W. M., *Ore deposition in the Bolivian tin-silver deposits*, 463–496
Davy, W. M., and Farnham, C. M., review of book by, 618
Day, A. L., and Shepherd, E. S., on ammonia in the gas of Kilauea, 219
Definitions applied to undeveloped oil lands, 317
Defline, M., on coal reserves of France, 286
De Kalb, C., on nitrate deposits in New Mexico, 218

Deposition of copper in Kennicott region, Alaska, 65; of tungsten ores, 524
Depth of drilling for oil, 256
Development of iron ore in Great Britain during the war (Hatch), 328
Diagrams—European coal reserves, 280; folding, 371; formation of wedge-shaped fissures, 55; geologic profile section of a portion of a traverse, 154; Mandy sulphide body, 393; replacement ore bodies, Kennecott, Alaska, 32; sequence of mineral deposition in Bolivian tin-silver deposits, 491; Westphalian coal activity, 308
Dietzeite, 204
Diffusion in vein-genesis at Cobalt (Whitman), 136
Dikes at Cobalt, Ont., 106
Diller, J. S., Fairchild, J. G., and Larsen, E. S., *High-grade talc for gas burners*, 665–673
Dip of beds, 369
Discussion—
Carbon ratios in Carboniferous coals of Oklahoma, and their relation to petroleum (Price), 610
Experimental studies of subsurface relations in oil and gas fields (McCoy), 680
Geologists as witnesses in mining litigation (Leith), 674
Magnetic iron ores of Clinton County, New York (Newland), 177
Origin of the Cobalt silver ores (Coleman), 539
Radian measures in plane-table mapping (Palmer), 266
Relation of oil pools to ancient shore lines (Lahee), 350
Relation of oil to carbon values (Lloyd), 94
The veins of Cobalt (Tyrrell), 453
Distance measurements, 370
Distortion in minerals, 647
Diurnal variations in atmospheric pressure, 156
Dolomite Alps, 5
Dolomitization, Kennecott, Alaska, 35
Drainage, Cobalt area, Ont., 108
Dresser, J. A., on geology of Quebec, 598
Drusy quartz, 638
Dublin, Harford Co., Md., talc deposit, 668
Duluth gabbro, 435, 442
Dumble, E. T., on the Reynosa formation, 502

Economic geology and stratigraphy of the Gunflint iron district, Minnesota (Broderick), 422
Editorials—
Geologists as expert witnesses (Ransome), 339
Geology in the law (Kemp), 259
Regarding magmatic nickel deposits (Lindgren), 535
Efflorescence, 211
Elevation, measurement, 370
Emmons, S. F., on deposition of silver at Cobalt, Ont., 126
Emmons, W. H., review by, 181; on deformation of pyrite, 596
Empire Gas and Fuel Co., well at Palangana, Texas, 504
Enargite, 41
Endlich, G. A., on expert testimony, 340
Enrichment, Bolivian silver-tin deposits, 474; iron deposits, Minnesota, 439
Equipment for petroleum surveying, 152
Erie dike, Kennecott, Alaska, 58
Erie mine, Kennecott, Alaska, 12, 17
Erosion, Kennecott region, Alaska, 17; method, in Chilean desert region, 197
Erythrite, 111
European coal reserves, 280
Eustis Mine, Quebec, 598
Examination of well cuttings, 170, 172
Experimental studies of subsurface relationships in oil and gas fields (Mills), 398
Expert testimony, 339
Extralateral rights, 674
Eye checking of barometric readings, 160

Fairchild, J. G., with Diller, J. S., and Larsen, E. S., *High-grade talc for gas burners*, 665–673
Farnham, C. M., with Davy, W. M., review of book by, 618
Fath, A. E., review by, 455
Fault systems at Cobalt, Ont., 139

Fault veins, Cobalt district, Ont., 112
Faulting, Cobalt area, Ont., 109; Kennecott region, Alaska, 11
"Feather" quartz, 628
Fenner, C. N., on concentration of copper in lavas, 60
Feldspars, North Carolina, composition, 237
Field decision, 261
Fissures, Kennecott, Alaska, 26; origin, 54
Fixed carbon in coals, relation to oil and gas, 226
Flamboyant quartz, 629
"Flat faults," Kennecott, Alaska, 13, 28
Flinflon lens, 391, 587
Fluorite, 519
Flurry fault, 12
Folded beds, calculation of thickness, 373; measurements, 367
Folding, 371; Cobalt area, Ont., 108
Form of ore deposits, 603
Fossil groundwater, 52
Fracturing, Cobalt area, Ont., 109; Kennecott region, Alaska, 11
Fraleck, E. L., on tourmaline in hanging wall rocks, 595
France, coal industry, 281; coal reserves, 286
Franckeite, 486, 493
French talc deposits, 669
Frodingham ironstone, 333, 335
Fuller, M. L., *Carbon ratios in Carboniferous coals of Oklahoma, and their relation to petroleum*, 225–235; on relation of oil to carbon ratios, 94

Gannett, R. W., on solution of wolframite, 521
Garnets, decomposition products in kaolin, 242
Gas burners, talc for, 665
Gas-tip manufacturing, history, 666
Gel structures in quartz, 632
Genesis, Eustis pyrite deposits, 602; Flinflon ore deposit, 589; Mandy ore deposit, Manitoba, 585; Mandy sulphide ores, northern Manitoba, 396; Northpines pyrite deposit, 598 (*see also* Origin)
Geography, Bolivian tin deposits, 467
Geologic and economic features of oil structures (Ziegler), 247
Geologic features, Belgian coal districts, 288; French coal areas, 281; Saar coal district, 296; Westphalian coal district, 303
Geologic history, Chilean nitrate region, 195; northern Manitoba, 390; relation to oil productivity, 254
Geologic maps—Cobalt area, Ont., 107; Kennecott, Alaska, 6
Geologic surveying, barometric method, 150
Geologists as expert witnesses, 339; as witnesses in mining litigation, 674
Geology, Bolivian tin deposits, 467; Chilean nitrate fields, 192; Cobalt ore deposits, 104; Eustis Mine, Quebec, 598; Gunflint district, Minnesota, 424; Kennecott, Alaska, 5; molybdenum deposits, Toas County, New Mexico, 569; northern Manitoba, 387; Northpines pyrite mine, 591; Palangana salt dome, 502; Schist Lake area, Manitoba, 576
Geology in the law, 259
Geology of the Mid-Continental oil fields (review of), 612
Geology of the ore deposits of Kennecott, Alaska (Bateman and McLaughlin), 1
German interests in Saar coal lands, 302
German talc deposits, 669
Germanium, 494
Glacial erosion, Ontario, 453
Glaciation, Kennecott region, Alaska, 16
Glacier copper deposit, Kennecott, Alaska, 23
Glauconite, composition, 555, 557; New Jersey greensand, 550; origin, 563; thin sections, 562
Glenn oil pool, 86
Gneissic galena ores, Slocan district, British Columbia, 586
Gold-bearing quartz bordered by ankerite, 312
Government operation of mines in Saar district, 298
Grains in greensand, size, 551; shapes, 552
Granite porphyry, northern Manitoba, 388
Granodiorite porphyry, 570
Graphic log for well cuttings, 175
Graphic method of note-taking, 153
Grant, U. S., on geology of Gunflint district, 425

Graton, L. C., and Murdoch, J., on isometric patterns of chalcocite, 62
Gray, J. H., on expert testimony, 340
Green, A. H., on methods of determining thickness of beds, 368
Greenalite, 440
Greensand, composition, 552; mechanical analyses, 548; New Jersey, 547
Greenstone, distribution of copper in, 60; Flinflon Lake area, 391
Gregory, H. E., review by, 685
Greisen, 512
Groundwater, fossil, 52; Kennecott region, Alaska, 52
Groundwater circulation, 142
Grout, F. F., on copper in basic rocks, 60; on iron-bearing formations, Minnesota, 439
Gümbel, C. W., on talc deposits, 669
Gunflint area, comparison with eastern Mesabi Range, 449
Gunflint iron district, Minnesota, 422
Gunflint iron-bearing formation, 426, 428; correlation, 435; chemical composition, 445

Hand level checking of barometric readings, 160
Hanson, George, *Some Canadian occurrences of pyritic deposits in metamorphic rocks*, 574–609
Harford County, Md., talc deposits, 667
Harris, G. D., on breathing wells, 507
Hatch, F. H., *The development of iron ore in Great Britain during the war*, 328–338
Hayes, C. W., on determining thickness of beds, 368
Heald, K. C., review by, 612
Hematite deposits, Cumberland and Lancashire, 336; in Great Britain, 328
Hermyingyi Mine, Burma, 520, 525
Hewett, D. F., *Measurements of folded beds*, 367–385
Hewitts, Swain County, N. C., talc deposits, 667
Hicks, W. B., and Bailey, R. K., on methods of analysis of greensand, 552
High-grade talc for gas burners (Diller, Fairchild, and Larsen), 665
"Hoodoo" topography, 4
Hotchkiss, W. O., on the geology of the Gogebic Range, 439, 452
Howe, E., on the Cortlandt series, 537
Hydromica, 243; composition, 244
Hydroxyl, 530
Hypogene enrichment, Cobalt district, Ont., 130
Hypogene origin of chalcocite, 77
Hypotheek mine, Idaho, bindheimite, 90

Imports of coal into France, 286
Inclined beds, measurement, 382
Inclined joint veins, Cobalt district, Ont., 113
Inclusion pattern by strain, 647
Inclusions in quartz, 630
Independence fault, 12
India, talc deposits, 619
Inherited structure in vein quartz, 644
Interlocking granular structure of quartz, 634
Iodine, 188
Iron ore in Great Britain during the war, 328
Iron ores, Gunflint district, 422, 444
Ironwood formation, 452
Irving, J. D., on copper in greenstone, 19; on replacement ore bodies, 126, 641
Irving, R. D., on pre-Cambrian correlation, 450
Isobaths, 150
Isometric patterns of chalcocite, 62
Isovols, caution in drawing, 610
Isovolves, 95, 226; Oklahoma, 231
Italian talc deposits, 669

Jamesonite, 493, 494
Johnston, J., and Adams, L. H., on capillarity, 211
Jointing, Cobalt district, Ont., 110
Jones, W. F., *The relation of oil pools to ancient shore lines*, 81–87; cited, 419
Jumbo Mine, Kennecott, Alaska, 2, 5, 25, 33
Jurassic formation in England, 331
Jurassic iron ores, Great Britain, 331
Jurassic ironstones, analyses, 332; occurrence, 334
Jurassic rocks, Chile, 192

Kadwe Mine, Burma, 513, 523
Kaminis granite, 577
Kaolin, distribution in veins, 245; origin from pegmatites, 236

Kaolin in North Carolina, with a brief note on hydromica (Bayley), 236
Kaolinite, 238
Kaolinization processes, 238
Keewatin formation, 111
Keewatin-Lower Huronian rocks, Northpines, Ontario, 591
Keith, Arthur, on the geology of the North Carolina talc region, 668
Kemp, J. F., editorial by, 259; review by, 355
Kennecott, Alaska, ore deposits, 1
Kennecott formation, 9
Kennecott glacier, 4
Kennicott (*see* Kennecott)
Kermesita, 488, 493
Kerogens, 86
Keweenawan intrusives, 442
Kisseynew gneisses, 577
Knopf, A., on concentration of copper in lavas, 60; on contact metamorphic phenomena, 633

Labor in Belgian coal fields, 291; in French coal fields, 284; in German coal fields, 298; in Saar fields, 298; in Westphalia, 305
Laboratory methods for the examination of well cuttings (Trager), 170
Lagarto beds, 502
Lahee, F. H., *The barometric method of geologic surveying for petroleum mapping*, 150–169; discussion by, 350; on determining thickness of beds, 368
Lamellar quartz, 644
Lane, A. C., on concentration of copper in lavas, 60
Lapara formation, 502
Larsen, E. S., and Ross, C. S., *The R and S molybdenum mine, Toas County, New Mexico*, 567–573
Larsen, E. S., with Diller, J. S., and Fairchild, J. G., *High-grade talc for gas burners*, 665–673
Lateral migration of petroleum, 352
Lateral secretion theory, 136
Law of the apex, 674
Legal status of oil land, 257
Leith, C. K., discussion by, 674; on recrystallization phenomena, 649
Lewis, J. V., on copper in basic rocks, 60
Lime in New Jersey greensand, 558
Limestone, Kennecott, Alaska, 9
Limonite, 45
Lindgren, Waldemar, *Vein filling at Bendigo, Victoria*, 312–314; editorial by, 535; review by, 683; review of book by, 268; on California borax deposits, 220; on copper in basic rocks, 60; on formation of enargite, 61; on metasomatic processes, 641; on persistent minerals, 626
Lithological characteristics of possible reservoirs in oil accumulation, 251; of the formation in oil accumulation, 251
Litigation, mining, 674
Lloyd, Stewart J., discussion by, 94
Localization of ore, Kennecott, Alaska, 27
Logan sills, 442
Loreto formation, 195
Lower Peñon formation, 193
Luzonite, 42
Lyon Mountain granite, 178

McCarthy shale, 9
McCoy, A. W., discussion by, 680; on migration of oil, 82, 86; on oil accumulation, 419
McLaughlin, D. H., with Bateman, A. M., *Geology of the ore deposits of Kennecott, Alaska*, 1–80
McLaughlin, R. P., definition of proved oil land, 318
Magmas, segregation of ores in, 526
Magmatic differentiation, 494, 608; theory of, 530
Magmatic nickel deposits, 535
Magnetic iron ore, 445; of Clinton County, New York, 177
Magnetic separation of greensand samples, 550
Magnetite, 429
Malachite, 45
Mallachuma Mine, 471
Mallet, F. R., on talc deposits of India, 619
Manchas, 206
Mandy Mine, 579; ore, photomicrographs, 588
Mandy ore body, 392; structure of the ore, 583
Manitoba, northern, geologic history, 390
Mansfield, G. R., *The physical and chemical character of New Jersey greensand*, 547–566
Maps—Alabama, showing lines of equal fixed carbon, 95; bituminous

coal basin of northern France, Saar, Westphalia, and Belgium, 278; Bolivian tin deposits, geologic relations, 469; Cordova, Copper River and Kennecott, Alaska, 3; Gunflint area, Minn., eastern end, 427; Isovolve map of Oklahoma, 232; Manitoba, 575; nitrate region, Chile, 190; Oklahoma oil field, 321; Palangana salt dome region, Texas, 498, 500 (*see also* Geologic maps)
Mapping, rate in barometric surveying, 167
Marl, analyses, 553
Marlstone, England, 333
Massicot, 89
Massive vein quartz, 635
Measurement of inclined beds in detail, 382
Measurements of folded beds (Hewett), 367
Measuring distance, 370
Mechanical analyses of greensand, 548
Melcher, A. F., on pore space of oil and gas sands, 681
Mergui schist, Burma, 512
Merwin, H. E., review by, 618; on chalcocite structures, 69
Metacolloid, 626
Metallurgical industry in Belgium, 294; in France, 288
Metamorphism, iron formations, Lake Superior region, 440
Metasomatism, 137, 144
Meta-stibnite, 488
Microphotographs (*see* Photomicrographs)
Microscopic examination of ore minerals (review of), 618
Microscopic study of vein quartz (Adams), 623
Mid-Continent oil region, 85
Mid-Continental oil fields, 612
Migration in Chilean nitrate deposits, 215
Migration of oil, experimental data, 405
Miller, B. L., and Singewald, J. T., on Bolivian tin deposits, 465
Miller, W. G., on Cobalt, Ontario, deposits, 104; on silver deposition at Temiskaming, 126
Mills, R. V. A., *Experimental studies of subsurface relationships in oil and gas fields*, 398–421
Mineral deposits (review of), 268
Mineralization, Bolivian tin veins, 470; Cobalt area, 111, 124; Kennecott, Alaska, 20, 24, 30; origin, 57, 68; Mandy deposit, northern Manitoba, 394; molybdenum deposits, New Mexico, 571
Mineralogy, Eustis ore deposit, 600; Flinflon ore body, Manitoba, 588; Northpines pyrite deposit, 593; ore deposits, Kennecott, Alaska, 35; Schist Lake pyritic deposit, 580; tungsten deposits, 516
Minette ores, Europe, 331
Mining geologists, 342
Mining law, revision of, 264
Mining litigation, 674
Mining of kaolin in North Carolina, 245
Mirabilite, 214
Moffit, F. H., on geology of Kennecott, Alaska, 5
Molybdenum mine, Toas County, New Mexico, 567
Moore, E. S., on Northpines pyrite deposit, 592
Moore, R. C., review by, 356
Mother Lode mine, Kennecott, Alaska, 17
Moulmein district, Burma, 514
Munn, M. J., on anticlinal theory of oil accumulation, 82
Murray, J., and Renard, A. F., on the origin of glauconite, 563
Muskogee County, Okla., reentrant, 233

National Oil Co., wells at Palangana, Texas, 504
Native copper, 20
Negative crystals, 630
New Chum reef line, specimen from, 313
Newland, D. H., discussion by, 177
News (*see* Scientific notes and news)
Nicholls, J. C., on Sudbury nickel deposits, 535
Nickel deposits, magmatic, 535
Nikoli greenstone, 7
Nipissing diabase, 106
Nitrate, concentration of, 210
Nitrate deposits, Chile, 187, 201; volcanic origin, 222
Nitrate region, Chile, 189
Nitroglauberite, 204
Normal vein quartz, 626
Northampton ironstone, 333, 335
North Krefeld coal basin, 304

Northpines pyrite mine, Ontario, 590
Notes and news (*see* Scientific notes and news)
Notes on the coal industry of northeastern France, Belgium, the Saar, and Westphalia, 1904–1913 (Crooks), 277
Note-taking, graphic methods, 153; tabulation method, 155
Nowata oil pool, 86

Occurrence of bindheimite as an ore mineral (Shannon), 88
Oil, relation to carbon ratios, 94
Oil accumulation, factors governing, 320
Oil and gas in salt domes, 508
Oil exploration, factors in, 256
Oil-field water problem, 399
Oil land, classification for valuation, 315; legal status, 257
Oil migration, experimental data, 405
Oil placer claims, 257
Oil pools, Pennsylvania, alignment, 84
Oil pools and ancient shore lines, 350
Oil prospects, Oklahoma, 234
Oklahoma coals, carbon ratios, 225
Oklahoma oil-bearing region, 85
Open filling, Cobalt, Ont., 120
Operating requirements in oil exploitation, 257
Ore, San Miguel vein, Potosi Mountain, Bolivia, 484
Ore bodies, shapes and sizes, Kennecott, Alaska, 30; distribution, 33
Ore deposition in the Bolivian tin-silver deposits (Davy), 463
Ore deposits, form, 603; northern Manitoba, 391; relation to batholiths and laccoliths, 684
Ore deposits of Utah (review of), 683
Ore minerals, microscopic examination, 618
Ore shoots, Cobalt district, Ont., 115
Ores, Bolivian silver-tin veins, 476; in magmas, segregation, 526
Origin, Bolivian silver-tin deposits, 474; Cobalt, Ont., veins, 132; Cobalt conglomerate, 539; fissures, Kennecott, Alaska, 54; glauconite, 563; gold-bearing quartz, Bendigo, 312; kaolin from pegmatites, 236; iron deposits, Lake Superior region, 439; magnetic iron ores, Clinton County, New York, 178; mineralization at Kennecott, Alaska, 57, 77; molybdenum ore, New Mexico, 573; nitrate deposits, 210, 212, 216; pyritic deposits, 606; silver ores at Cobalt, Ont., 127; tungsten deposits, Burma, 523 (*see also* Genesis)
Orthoclase, change to kaolin, 239
Osage Indian Reservation, petroleum conditions, 85
Ottweiler stage, 282, 296
Ownership of Saar coal lands, 295
Oxidation, Cobalt district, Ont., 129; ore deposits, Kennecott, Alaska, 44; distribution and depth, 48; conditions for, 51; age, 53

Palangana salt dome, age, 509
Palangana salt dome, Duval County, Texas (Barton), 497
Palmer, Chase, and Bastin, E. S., on deposition of native silver at Cobalt, Ont., 131
Palmer, H. S., discussion by, 266
Panqueque, 201
Panyity, L. S., review of book by, 356
Paragenesis of minerals, Bolivian tin veins, 490; Burma tungsten deposits, 517; Mandy deposits, northern Manitoba, 304, 582
Paulson mine, 441, 447
Pebbles, striated, Cobalt, Ont., 105
Peñon formation, 193
Peñon nitrate field, Chile, 208, 210
Percentage expression of oil possibilities, 317
Petroleum, areas of supply, 87; predeformational accumulation, 86
Petroleum handbook (review of), 455
Petroleum mapping by barometric method, 150
Phalen, W. C., on stretched pebbles, 652
Phantom veinlets, 632
Phosphoric acid in New Jersey greensand, 558
Phosphoric iron ores, Great Britain, 330
Photomicrographs—bornite, 38; chalcocite, 36; chalcopyrite, 39, 42; covellite, 37; glauconite, 554; Mandy sulphide ore, 396; quartz, 656–663; sulphide ores, 588, 589; tin ore, Bolivia, 476

Physical and chemical character of New Jersey greensand (Mansfield), 547
Physical examination of well cuttings, 172
Physical geology (review of), 685
Physiographic history, Chilean nitrate region, 197
Physiography, Burma, 511; Chilean nitrate region, 195; Kennecott region, Alaska, 14; Palangana region, Texas, 497
Pirsson, L. V., review of book by, 685
Pittsburg area, Oklahoma, isovolves, 233
Plan—Mandy ore deposit, 580
Plane table mapping, 168
Pneumatolysis, 526
Pokegama quartzite, 426
Porcupine gold ore deposits, 145
Pore space of oil and gas sands, 681
Porphyry, Kennecott, Alaska, 9
Posnjak, E., Allen, E. T., and Merwin, H. E., on the sulphides of copper, 62
Possible oil land, 324
Potash, water-soluble, in New Jersey greensand, 557
Potash content, New Jersey greensands, 555
Pre-Cambrian correlation, 450
Pre-Cambrian formations, Schist Lake area, Manitoba, 577
Pre-Cambrian rocks, northern Manitoba, 387
Pre-glacial decomposition, Ontario, preservation of, 453
Pressure phenomena in minerals, 647
Price, W. A., discussion by, 610
Probable oil land, 323
Processes of vein formation at Cobalt, Ont., 120
Production of coal in France, 285; in Belgium, 291; in Saar district, 299; in Westphalia, 305; English iron ore, 336; oil, possible value, 256
Prospecting for oil and gas (review of), 356
Prospecting tungsten ores, Burma, 515
Prospects for oil, Oklahoma, 234
Proved oil land, 318, 322
Proustite, 494
Pumpelly, R., on concentration of copper in lavas, 60
Purington, C. W., on spheroidal quartz, 636
Pyrite, 42, 581, 593, 601
Pyrite deposit, Northpines Mine, 592
Pyritic deposits, in metamorphic rocks, 574; sources of material, 607
Pyrrhotite, 593

Quartz, anhedral replacement, 642; anomalous, 628; cockade structure, 636; crustification banding, 636; flamboyant, 629; in small cavities, 637; inclusions in, 630; interlocking granular structure, 634; recrystallization, 649; types of, 626; vein, normal, 626; zonal marking, 631
Quartzite, 426

R and S molybdenum mine, Toas County, New Mexico (Larsen and Ross), 567
"Radial" quartz, 646
Radian measures in plane-table mapping, 266
Rammelsberg ore deposit, 585
Ransome, F. L., editorial by, 339; review by, 268; review of book by, 181; on deposition of alunite, 131; on feathered quartz, 628; on massicot, 89
Realgar, 489
Rearrangements of silica, 653
Recording stations in surveying, 153
Recrystallization of quartz, 649
Relation of oil pools to ancient shore lines (Jones), 81
Relation of oil to carbon ratios, 94
Renier, A., on Belgian coal, 288
Replacement, 146; Cobalt district, Ont., 120; of calcite by quartz, 644
Replacement ore bodies, Kennecott, Alaska, 21
Replacement quartz, 641
Reserves of coal in France, 286; in Belgium, 293
Retardation structures in Oil accumulation, 250
Retiform structure of vein quartz, 643
Reviews—
The copper deposits of Ray and Miami, Arizona (Ransome), Emmons, 181
The geology of the Mid-Continental oil fields (Bosworth), Heald, 612
Microscopic examination of ore

minerals (Davy and Farnham), Merwin, 618
Mineral deposits (Lindgren), Ransome, 268
The ore deposits of Utah (Butler and others), Lindgren, 683
Outlines of the geology of Brazil to accompany the geologic map of Brazil (Branner). Kemp, 355
The petroleum handbook (Andros), Fath, 455
Prospecting for oil and gas (Panyity), Moore, 356
A text book of geology; Part I, Physical geology (Pirrson), Gregory, 685
Reynosa formation, 502
Ribbon quartz, 651
Rock alteration, Mandy deposit, northern Manitoba, 395
Rock composition, relation to veins, Cobalt district, Ont., 121
Rock glaciers, 5
Rogers, A. F., on amorphous minerals, 625
Ross, C. S., with Larsen, E. S., *The R and S molybdenum mine, Toas County, New Mexico*, 567–573
Rove slate, 428, 442
Rowe, J. P., on determination of dip and strike, 370
Ruby silver, 474
Ruhr coal basin, 303
Rumbold, W. R., on the origin of Bolivian tin deposits, 465

Saar district, coal industry, 295; coal
Saarbrücken stage, 282, 296
Saganaga granite, 426, 429
Salares, Chile, 199
Salt dome, constitution, 503
Salt dome belts, Texas, 509
Salt in Chilean nitrate deposits, 219
Samarskite, 517
Sandberger, F., lateral secretion theory of, 136
San Enrique Mine, 471
Scheelite, 516; secondary, 522
Schist Lake, Manitoba, 575
Schrader, F. C., on quartz from Gold Road, 631
Schuchert, C., on accumulation of petroleum, 82
Scientific notes and news, 97, 183, 272, 360, 457, 543, 620, 687
Secondary enlargement of crystal fragments, 632
Sections—Aguas Blancas nitrate deposits, 207; antlerite-covellite-chalcocite ore body, Jumbo mine, Kennecott, Alaska, 47; Bolivian tin veins, position, 471; Cobalt area, Ont., 107, 116; Gunflint district, Minnesota, 430; Palangana salt dome, Texas, 504; Peñon nitrate deposits, 209: Tarapacá nitrate deposits, 207; Tarapacá valley, Chile, 196 (*see also* Cross sections)
Segregation of ores in magmas, 526
Selenite, 506
Selling price of French coal, 285
Septaria, 434
Shamel, C. H., on mining law, 261
Shannon, E. V., *The occurrence of bindheimite as an ore mineral*, 88–93
Shear joint veins, Cobalt district, Ont., 112
Shore lines, ancient, and oil accumulation, 81
Shredded quartz, 649
Silica, varieties of, 624
Silicification, 490
Silver, Cobalt district, Ont., 112; deposition at Cobalt, Ont., 126; Kennecott, Alaska, 18
Silver, native, Cobalt, Ont., 127
Silver veins, Bolivian tin deposits, 473
Sinclair Oil and Gas Co., wells at Palangana, 504
Singewald, J. T., on Bolivian tin deposits, 465
Slide ore, Kennecott, Alaska, 23
Solution of wolfram, 521
Some Canadian occurrences of pyritic deposits in metamorphic rocks (Hanson), 574
South Wales hematite, 337
Spencer, L. J., on tetrahedrite crystals, 494
Spheroidal crystallization of quartz, 638
Stannard, E. T., ammonia leaching process of, 49
Stannite, 475, 493
Statistics of French coal, 284
Steinmann, G., on Bolivian tin deposits, 464
Stelzner, A. W., on Bolivian silver-tin deposits, 464
Stephanian series, 282, 296
Stereogram, Cobalt area, Ont., 109; ore bodies, Kennecott, Alaska, 28

Stillwell, F. L., on Bendigo gold quartz deposits, 312
Stratford Mine, 602
Stratigraphy, Gunflint iron-bearing formation, 428
Striated pebbles, Cobalt, Ont., 105
Structure, Cobalt district, Ont., 135; Kennecott region, Alaska, 10
Structures and oil pools, 250
Structural characteristics in oil accumulation, 252
Structural geology, Cobalt area, Ont., 108
Structural theory of petroleum accumulation, 81
Subsurface relationships in oil and gas fields, 398, 680
Sudbury nickel deposits, 535
Sulphide ores, northern Manitoba, 391, 575
Supergene enrichment, Cobalt, Ont., 127
Surface and sub-surface structures, relation to oil accumulation, 253
Surface geology, Palangana region, Texas, 502

Taber, Stephen, on cockade structure of quartz, 636; on origin of Bendigo quartz veins, 312
Tables—coal reserve of Westphalia, 309; composite samples of greensand, 549, 554; errors in determining thickness of folded beds from dip, 278; formations, Schist Lake area, Manitoba, 577; French coal production, 285; Belgian, 292; geologic formations at Kennecott, Alaska, 5; German interests in Saar coal lands, 302; oils used for experimentation, 403; production and content of Jurassic ironstones, Great Britain, 332; Saar coal field areas, 297; sands used for experimentation, 403; sources of coal used in France, 286; in Belgium, 293; South basin of Belgian coal areas, 289; Westphalian coal mines, 305, 307
Tabulation method of note-taking, 155
Talc, 665; uses, 666; history, 666; domestic deposits, 667; foreign deposits, 669; microscopic examination, 670
Talc samples, mineral composition, 671
Taltal area, Chile, 191
Talus deposits, Kennecott, Alaska, 23
Tamarugal area, Chile, 190
Tanks for oil experimentation, 399
Tavoy district, Burma, 511
Temiskaming conglomerate, 105
Tennantite, 42, 601
Tertiary rocks, Chile, 195
Tertiary volcanics, Kennecott, Alaska, 15
Testing an aneroid barometer, 152
Tetrahedrite, 90, 484, 493
Texas, northern, isovolves, 234
Text book of geology (review of), 685
Tin deposits of Bolivia, geography and geology, 467
Tin veins, Bolivia, classification, 477
Tin-silver deposits of Bolivia, 463, 472
Tolman, C. F., on Bonanza mineralization, 68; on isometric patterns of chalcocite, 62; on phantom veinlets, 632
Topographic map, Palangana salt dome, 500
Topography, Chilean nitrate field, 205; Kennecott region, Alaska, 4; northern Manitoba, 386
Tourmaline, 470, 520
Trager, E. A., *A laboratory method for the examination of well cuttings*, 170–176
Transportation facilities in oil exploitation, 256
Transportation of copper in greenstone, 61
Trap structures in oil accumulation, 249
Triassic rocks, 7
True, R. H., and Geise, F. W., on greensand as a source of potassium, 558
True dip of beds, 369
Tungsten deposits, types of, 525
Tungsten deposits of Burma and their origin (Campbell), 511
Tyrrell, J. B., discussion by, 453

Ualtarite, 204
Uglow, W. C., on gneissic galena ore in the Slocan district, 586
Unconformity at Cobalt, Ont., 105
Undeveloped oil land, 317
Upper Huronian, Gunflint district, 425
Uppen Peñon formation, 193

Utah, geology and ore deposits, 683

Valuation of oil land, 315
Van Hise, C. R., on concentration of copper in lavas, 60; on deposition of silver at Cobalt, Ont., 126; on recrystallization phenomena, 649
Vein or lode, definition, 675
Vein filling at Bendigo, Victoria (Lindgren), 312
Vein formation, Cobalt, Ont., 120
Vein-genesis at Cobalt, Diffusion in (Whitman), 136
Vein quartz, microscopic study, 623; 640; normal, 626
Veins, Bolivian tin deposits, 470; Cobalt district, Ont., 135, 453; in granite, Bolivian tin deposits, 478; in invaded rock, Bolivian tin deposits, 487; Kennecott district, Alaska, 21; molybdenum deposits, New Mexico, 570; relation to fissures, 122; relation to rock composition, Cobalt district, Ont., 121; tungsten deposits, Burma, 513, 523
Veins of Cobalt, Ontario (Whitehead), 103
Vertical joint veins, Cobalt district, Ont., 113
Vogt, J. H. L., on silicate magmas, 535
Volcanic origin of nitrate deposits, 218
Volcanic rocks, Kennecott, Alaska, 15; northern Manitoba, 387

Wadia, D. N., on talc of India, 619
Wadsworth, M. E., on concentration of copper in lavas, 60
Wall Creek sand, Wyoming, 252
Wallace, R. C., on sulphide deposits of Schist Lake, 579
Wamsley mine, analysis of ore from, 91
Washington, H. S., and Day, A. L., on ammonium salts of the Italian volcanoes, 219
Water from New Jersey greensand, composition, 559
Watts, A. S., on feldspar and kaolin, 246
Weed, W. H., on concentration of copper in lavas, 60
Weedon Mine, 602
Wegemann, C. H., on Wyoming oil fields, 352
Weinschenk, E., on Baden talc deposits, 669; on the decomposition of feldspar, 238
Well cuttings, examination of, 170
West Columbia oil pool, 508
Western Molybdenum Company, 568
Westphalia, coal industry, 303; coal reserves, 309
Westphalian series, 281, 296
Wherry, E. T., on metacolloids, 626
White, David, on carbon ratios, 94; on relations between coal and petroleum, 225
Whitehead, W. L., *The Chilean nitrate deposits*, 187–224; *The veins of Cobalt, Ontario*, 103–149
Whitman, A. R., *Diffusion in vein-genesis at Cobalt*, 136–149; on Cobalt, Ontario, ore deposits, 104
Whitney, J. D., on concentration of copper in lavas, 60
Wichita area, Oklahoma, isovolves, 233
Wigmore, J. H., on expert evidence, 344
Wolff, J. F., on the Mesabi iron range, 426
Wolfram in alluvial deposits, 520
Wolfram mines, Tavoy district, Burma, 513
Wolframite, 516, 518
Wood tin, 475
Woodruff, E. G., on petroliferous provinces, 82
Wright, F. E., and Larsen, E. S., on quartz, 626
Würm-Inde coal district, 304

Zapffe, Carl, on metamorphism of Lake Superior iron formations, 441
Ziegler, Victor, *Geologic and economic features of oil structures*, 247–258
Zinc ores, northern Manitoba, 397
Zonal enlargement of quartz crystals, 631
Zoning of salts, Chilean nitrate deposits, 214